Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	("2004017392").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/08 19:35
L2	6	"2004017392"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L4	0	(data near2 conver\$5) same (table near2 cop\$4) same server same storage and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L8	633	(data near2 conver\$5) same (table) and (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L9	315	(data near2 conver\$5) with (table) and (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L11	23	((data near2 conver\$5) with table) same (server with storage) and @ad < "20021206" and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L13	394	(data near2 conver\$5) with (table with (select or cop\$4)) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L15	124	(cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L17	0	(cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206" and (separat\$4 with (job or task or process) with copy with conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35

L19	1	707/101.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L20	1	707/104.1.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L21	0	707/100.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ⁻	2006/09/08 19:35
L24	4	"20030135480" or "20020099782"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L25	. 4	"20030135480" or "20020099782"	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L28	1	707/10.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L29	5	(file near2 lock\$4) same (lock near2 (valid or invalid)) and @ad<"20030429"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L30	0 .	(file near2 lock\$4) same (lock near2 (valid and invalid)) and @ad<"20030429"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L31	11	(file near2 lock\$4) same (lock near2 (inconsisten\$4 invalid)) and @ad<"20030429"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L34	6	("2004017392").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/08 19:35

L35	6	"2004017392"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L36	0	(data near2 conver\$5) same (table near2 cop\$4) same server same storage and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L37	633	(data near2 conver\$5) same (table) and (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L38	315	(data near2 conver\$5) with (table) and (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L39	. 23	((data near2 conver\$5) with table) same (server with storage) and @ad < "20021206" and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L40	394	(data near2 conver\$5) with (table with (select or cop\$4)) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L41	124	(cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L42	0	(cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206" and (separat\$4 with (job or task or process) with copy with conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/09/08 19:35
L43	1	707/101.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L44	1	707/104.1.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	. OR	ON	2006/09/08 19:35

L45	0	707/100.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L46	4	"20030135480" or "20020099782"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L47	. 4	"20030135480" or "20020099782"	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
L48	1	707/10.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 19:35
S1	6	("2004017392").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 14:45
S2	6	"2004017392"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/22 14:50
S3	2	"20040172392"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/22 15:16
S4	0	(data near2 conver\$5) same (table near2 cop\$4) same server same storage and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/22 15:18
S5	3	(data with conver\$5) same (table with cop\$4) same server same storage and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/04/22 15:18
S6		(data near2 conver\$5) and (table near2 cop\$4) same server same storage and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/22 15:22

S7	1	(data near2 conver\$5)same (table near2 cop\$4) and (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/22 15:23		
S8	600	(data near2 conver\$5) same (table) and (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/22 15:23		
S9	298	(data near2 conver\$5) with (table) and (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/04/22 15:23		
S10	22	((data near2 conver\$5) with table) same (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/22 15:30		
S11	22	((data near2 conver\$5) with table) same (server with storage) and @ad < "20021206" and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/22 15:30		
S12	1	((data near2 conver\$5) with table) same (server with storage) and @ad < "20021206" and (table with cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/22 15:40		
S13 ⁻	389	(data near2 conver\$5) with (table with (select or cop\$4)) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/22 15:45		
S14	12	(data near2 conver\$5) with (table with (select or cop\$4)) and @ad < "20021206" and (server with storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/04/22 15:46		
S15	117	(cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 14:45		
S16	21	(copy\$4 near2 table) with (convert\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 14:07		

S17	0	(cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206" and (separat\$4 with (job or task or process) with copy with conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 14:10
S18	10	(cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206" and (separat\$4 with (job or task or process))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 14:10
S19	1	707/101.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 14:45
S20		707/104.1.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 14:45
S21	0	707/100.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 11:53
S22	9	"20030135480" or " 20020099782" or "20040093222" or "20030023785"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 15:18
S23	4	" 20020099748" or "20030023758"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/23 15:19
S24	4	"20030135480" or "20020099782"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/04/24 08:15
S25	4	"20030135480" or "20020099782"	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 08:15
S26	2	"20030135480" or "20020099782"	US-PGPUB	OR	ON	2006/04/24 08:51
S27	3	"20030135480" or "20020099782" or "20030023758"	US-PGPUB	OR	ON	2006/04/24 08:51

			· · · · · · · · · · · · · · · ·			
S28	1	707/10.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 11:53
S29		(file near2 lock\$4) same (lock near2 (valid or invalid)) and @ad<"20030429"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:48
S30	0	(file near2 lock\$4) same (lock near2 (valid and invalid)) and @ad<"20030429"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:48
S31		(file near2 lock\$4) same (lock near2 (inconsisten\$4 invalid)) and @ad<"20030429"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:49
S32	11	(file near2 lock\$4) same (lock near2 (inconsisten\$4 or invalid)) and @ad<"20030429"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:55
S33	9	(reviv\$4 near2 lock\$4) and @ad<"20030429"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:56
S34	6	("2004017392").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 14:57
S35	. 6	·"2004017392"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57
S36		"20040172392"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57
S37	0	(data near2 conver\$5) same (table near2 cop\$4) same server same storage and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57

S38	3	(data with conver\$5) same (table with cop\$4) same server same storage and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57		
S39		(data near2 conver\$5) and (table near2 cop\$4) same server same storage and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57		
S40		(data near2 conver\$5)same (table near2 cop\$4) and (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57		
S41	600	(data near2 conver\$5) same (table) and (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57		
S42	298	(data near2 conver\$5) with (table) and (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57		
S43	22	((data near2 conver\$5) with table) same (server with storage) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57		
S44	22	((data near2 conver\$5) with table) same (server with storage) and @ad < "20021206" and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57		
S45	1	((data near2 conver\$5) with table) same (server with storage) and @ad < "20021206" and (table with cop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/04/24 14:57		
S46	389	(data near2 conver\$5) with (table with (select or cop\$4)) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57		
S47	12	(data near2 conver\$5) with (table with (select or cop\$4)) and @ad < "20021206" and (server with storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57		

			-			
S48	117	(cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57
S49	21	(copy\$4 near2 table) with (convert\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57
S50	0	(cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206" and (separat\$4 with (job or task or process) with copy with conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57
S51	10	(cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206" and (separat\$4 with (job or task or process))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57
S52	1	707/101.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57
S53		707/104.1.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2006/04/24 14:57
Value of			DERWENT; IBM_TDB			e produce a service of the service o
S54	0	707/100.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57
S55	9	"20030135480" or " 20020099782" or "20040093222" or "20030023785"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57
S56		" 20020099748" or "20030023758"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57
S57	4	"20030135480" or "20020099782"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57

S58	4	"20030135480" or "20020099782"	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57
S59	2	"20030135480" or "20020099782"	US-PGPUB	OR	ON	2006/04/24 14:57
S60	3	"20030135480" or "20020099782" or "20030023758"	US-PGPUB	OR	ON	2006/04/24 14:57
S61	1	707/10.ccls. and (cop\$4 near2 table) with (conver\$6 near2 table) and @ad < "20021206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:57